


WALL SYSTEM · wall panel





WPC WALL PANEL



Name: WPC wall panel

Material: Nanofiber powder

Length and width:

1220*2440mm 1220*2600mm

1220*2800mm 1220*3000mm

1220*Custom length

Thickness: 5mm/8mm

Density: 700kg/m³

Environmental protection grade: E0

Fire rating: B1

Performance: waterproof&bendable

PHYSICAL PHOTOS



Water-Proof



Anti-Bacterial



Pro-Environment



Flame-Retardant



Abrasion-Proof



Thickness: 5mm&8mm



Bending and shaping



Waterproof and moisture-proof



1. Apply structural adhesive on the back
2. Metal profile connection
3. Puttying and leveling



Corner slotting and bending

1. Slotting of trimming machine
2. Hot air gun heating bending
3. Apply structural adhesive on the back of the wall panel



Apply structural adhesive on the back

COLOUR - Wood grain series



COLOUR - Wood grain series

Thickness: 0.16mm



T9001



T9002



T9004



T9005



T9006



T9009



T9010



T9011



T9012



T9013



T9035



T9036



T9037



T9038



T9056



T9057



T9022



T9023



T9046



T9048



T9050



T9054



T9055



T9060

COLOUR - Wood grain series

Thickness: 0.16mm



T9062



T9040



T9041



T9049



T9058



T9059



T9014



T9031



T9052



T9015



T9016



T9033



T9024



T9051



T9053



T9061



T9032



T9034



T9044



T9019




T9025



T9028



T9029



COLOUR - Cloth pattern series

Thickness: 0.16mm



T6001



T6002




T6004



T6005



T6006



T6007



T6008



T6010




T6011



T6012



T6017



COLOUR - PVC&Cloth series

Thickness: 0.2mm



S6020

S6021

S6024

S6025

S6026

S6029

S6030



S6031

S6033

S6034

S6035

S6036

S6037


S6038

COLOUR - Solid color series



COLOUR - Solid color series


Thickness: 0.16mm



T8001



T8002



T8003



T8004



T8005



T8006



T8007



T8008



T8010




T8011



T8012



T8014



T8017



T8018



T8020



T8026



T8027



T8028



T8029



T8030



COLOUR - Stone series(T)


Thickness: 0.16mm




T3006



T3007



T3012




T3017



T3018



T3019



T3021



T3023



T3024



T3025




COLOUR - Stone series(S-PET)


Thickness: 0.45mm



S3001



S3002





S3003




S3004

COLOUR - Metal series




COLOUR - Metal series(SZ)

Thickness: 0.3mm




COLOUR - Metal series(S)

Thickness: 0.16mm




COLOUR-PET Mirror Sheets Series




COLOUR - Mirror Series(JM/BW)


Thickness: 0.37mm/0.3mm



Black




Silver



Gray




Tawny



Lilac



Red



Blue



Water Ripples Silver




Water Ripples Black

COLOUR - Mirror Series(JMC)

Thickness: 0.37mm



JMC003



JMC004




WALL SYSTEM · WPC HD printing wall panel

It is based on wood plastic board. The whole picture can be completely printed on several wallboards through 3D printing, and it can be seamless and dense stitching. It can also be pasted on the wall with aluminum alloy modeling line. It can customize different personalized patterns and its flexibility are very popular by lots of people, and the diversity of installations has changed the traditional background wall.

Due to its low price, convenient and flexible installation, if you don't like the pattern after several years of use, you can remove it at any time and replace it with a new pattern. The installation method is very simple, you can complete in a very short time. Its diverse styles and patterns are more suitable for you.

Product advantages: environmental-friendly, antifouling, waterproof, Class B1 fire proof, scratch resistant, mildew proof, moth proof, lightweight, convenient transportation, fast installation, diverse patterns, custom colors.



Name: WPC HD printing wall panel

Length and width: Single piece size within 1200 * 3000mm can be customized

Thickness: 5mm/8mm

Surface process: Glossy

Environmental protection grade: E0

Fire rating: B1

Performance: waterproof&bendable



Waterproof



Insect prevention




Environmental protection



Flame-retardant



HD



1. PET layer
2. 3D inkjet layer
3. WPC wood plastic



Waterproof and moisture-proof



Bending and shaping

Bending and shaping installation




Texture left and right connection




COLOUR

Single piece size within 1200 * 3000mm can be customized




SZ-Z01




SZ-Z02




SZ-Z03



SZ-Z04



SZ-003



SJ-0235



LYFG-021



LYFG-018

COLOUR

Single piece size within 1200 * 3000mm can be customized



LYFR -060




LYFR -061



LYFR -062



LYFR -065




LYFP-012



LYFQ-063

COLOUR


Single piece size within 1200 * 3000mm can be customized




SJ-0138




LYFG-019



SJ-0139



SJ-0140




SJ-0147

COLOUR


Single piece size within 1200 * 3000mm can be customized




JL612180




SZ-001



SJ-0184




SJ-0135




SZ-002

COLOUR


Single piece size within 1200 * 3000mm can be customized




SZ-118



SZ-120



DZH-011



DZH-012



Scan this QR code to obtain more details



WALL SYSTEM · SPC background wall

SPC, which stands for Stone Plastic (or Polymer) Composite, features a core that is typically comprised of around 60% calcium carbonate (limestone), polyvinyl chloride and plasticizers.

Because the core layer of SPC is composed of limestone, it is denser compared to WPC, though thinner overall. Its high density provides better resistance to scratches or dents caused by heavy objects or furniture placed on it, and makes it less likely to expand under extreme temperature changes.

At the same time, it is extruded by T-shaped mold, which also avoids the internal layer coating and gluing, so its functions are more abundant, and it is non-toxic, formaldehyde free and zero pollution, with a series of characteristics such as renewable materials, so it can be well used in interior decoration.



shezhi
奢致

Name: SPC background wall

Length and width: Single piece size within 1200 * 3000mm can be customized

Thickness: 6mm

Surface process: Glossy

Environmental protection grade: E0

Fire rating: B1



Waterproof



Insect prevention



Environmental protection




Flame-retardant



HD

shezhi
奢致




1. UV layer
2. 3D inkjet layer
3. SPC stone plastic

Elegant white




Elegant white


Single piece size within 1200 * 3000mm can be customized



LYFR-057



LYFR-062



LYFP-012



LYFQ-063



LYFP-017




LYFP-024




SJ-0104




LYFR-066




LYFP-018




LYFQ-065




LYFP-020



LYFQ-061



SJ-0007



SJ-0218



SJ-0224



SJ-0111

Warm color luxury stone



Warm color luxury stone

Single piece size within 1200 * 3000mm can be customized



SZ-Z01



SZ-Z02



SZ-Z03



SZ-Z04



SZ-003



SJ-0235



LYFG-021




LYFG-018

Blue - green luxury stone




Blue - green luxury stone


Single piece size within 1200 * 3000mm can be customized




SJ-0135




SZ-001



SJ-0184



JL612180



SZ-002

Gray marble



Gray marble

Single piece size within 1200 * 3000mm can be customized




SJ-0138



LYFG-019



SJ-0139



SJ-0140



SJ-0147

Gray marble

Single piece size within 1200 * 3000mm can be customized



SJ-0205



SJ-0330



SJ-0226



SJ-0144

Ink stone grain





LYFR-131



LYFP-039



LYFP-040



LYFR-068



LYFR-073



LYFR-067



LYFR-074



LYFR-075



LYFR-130




YS3-087



YS3-088

Lauren black






SZ-113



SZ-118



SZ-120



Scan this QR code to obtain more details



WALL SYSTEM · Fluted Wall Panel


The wooden grid based on nano bamboo and wood fiber replaces the traditional wooden grid, which is more environmental friendly, moisture-proof and does not deform.

The traditional wooden grid will be moldy and deformed after it is used for a long time. The cost is very high and is not environmental friendly.


Now, the advantages of using nano bamboo and wood fiber material are: environmental protection, waterproof, moisture-proof, mildew proof, moth proof, no deformation, various colors, light, installed, clean, firm, durable and nice appearance.

It is very popular by lots of customers as soon as it accesses to the domestic and overseas market!

HOLLOW GRID PLATE



Name: 90 Hollow fluted wall panel




Length and width: 90*3000 (mm)


Thickness: 12mm

Environmental protection grade: E0

Fire rating: B1



Name: 168 Hollow fluted wall panel




Length and width: 168*3000 (mm)


Thickness: 22mm

Environmental protection grade: E0

Fire rating: B1



Name: 300 rectangle grille panel



Length and width: 300*3000 (mm)


Thickness: 8mm

Environmental protection grade: E0

Fire rating: B1



Name: 130 concave grille panel



Length and width: 130*3000 (mm)


Thickness: 16mm

Environmental protection grade: E0

Fire rating: B1



Name: 136 convex grille panel



Length and width: 136*3000 (mm)

Thickness: 10mm


Environmental protection grade: E0

Fire rating: B1

HOLLOW GRID PLATE



Name: 150 Triangular grille



Length and width: 150*3000 (mm)

Thickness: 13mm

Environmental protection grade: E0

Fire rating: B1



Name: 158 Arc fluted wall panel



Length and width: 158*3000 (mm)


Thickness: 15mm

Environmental protection grade: E0

Fire rating: B1



Name: 60 rotating grille panel



Length and width: 60*3000 (mm)


Thickness: 25mm

Environmental protection grade: E0

Fire rating: B1



Name: 43 kidney-shaped grille panel



Length and width: 48*3000 (mm)

Thickness: 32mm


Environmental protection grade: E0

Fire rating: B1

SOLID GRID PLATE



Name: 158 solid fluted wall panel



Length and width: 158*2800 (mm)

Thickness: 19mm

Environmental protection grade: E0

Fire rating: B1



Name: 160 solid wood wave shape fluted wall panel



Length and width: 160*3000 (mm)


Thickness: 13mm

Environmental protection grade: E0

Fire rating: B1



Name: 40 Inner arc solid grille



Length and width: 53*3000 (mm)


Thickness: 16mm

Environmental protection grade: E0

Fire rating: B1



Name: 70 Inner arc solid grille




Length and width: 70*3000 (mm)

Thickness: 16mm

Environmental protection grade: E0

Fire rating: B1



1. Apply structural adhesive on the back
2. Male and female slot splicing or metal clip splicing
3. Puttying and leveling



Water-Proof



Anti-Bacterial



Pro-Environment





Flame-Retardant



Abrasion-Proof

COLOUR - Wood grain series



COLOUR - Wood grain series

Thickness: 0.16mm



T9001



T9002



T9004



T9005



T9006



T9009



T9010



T9011



T9012



T9013



T9035



T9036



T9037



T9038



T9056



T9057



T9022



T9023



T9046



T9048



T9050



T9054



T9055



T9060

COLOUR - Wood grain series

Thickness: 0.16mm



T9062



T9040



T9041



T9049



T9058



T9059



T9014



T9031



T9052



T9015



T9016



T9033



T9024



T9051



T9053



T9061



T9032



T9034



T9044



T9019



T9025



T9028




T9029

COLOUR - Solid color series



COLOUR - Solid color series

Thickness: 0.16mm




T8001



T8002



T8003




T8004



T8005



T8006



T8007




T8008



T8010




T8011



T8012



T8014




T8017




T8018



T8020



T8026




T8027



T8028



T8029



T8030



COLOUR - Cloth pattern series

Thickness: 0.16mm



T6001



T6002



T6004



T6005



T6006



T6007




T6008




T6010



T6011



T6012



T6017



COLOUR - Stone series(T)


Thickness: 0.16mm



T3006



T3007



T3012




T3017



T3018



T3019



T3021



T3023



T3024













T3025



Aluminum alloy
wallboard profile







5mm

Wall Panel Aluminum Alloy Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	Color	Weight (KG/Piece)	Packing (PCS/CTN)
501 凹口工字				3m	Matte black	0.17KG	200PCS
					Rose gold		
502 平工字				3m	Matte black	0.14KG	200PCS
					Rose gold		
505 收口				3m	Matte black	0.13KG	200PCS
					Rose gold		
509阴角 (阴顶双用)				3m	Matte black	0.18KG	100PCS
					Rose gold		
504 阳角				3m	Matte black	0.18KG	100PCS
					Rose gold		
YB574 凹口阳角				3m	Matte black	0.197KG	100PCS
					Rose gold		
60 网红踢脚				3m	Matte black	0.45KG	100PCS
					Rose gold		










5mm

Wall Panel Light Strip Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	Color	Weight (KG/Piece)	Packing (PCS/CTN)
503 灯带工字				3m	Matte black	0.2KG	100PCS
					Rose gold		
506 灯带踢脚				3m	Matte black	0.533KG	60PCS
					Rose gold		
513 灯带收口				3m	Matte black	0.3KG	100PCS
					Rose gold		






8mm

Wall Panel Aluminum Alloy Fitting








Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	Color	Weight (KG/Piece)	Packing (PCS/CTN)
801 凹口工字				3m	Matte black	0.2KG	100PCS
					Rose gold		
802 平工字				3m	Matte black	0.22KG	200PCS
					Rose gold		
LT-A 8厘3号 工字				3m	Matte black	0.16KG	200PCS
					Rose gold		
805 收口				3m	Matte black	0.22KG	200PCS
					Rose gold		
859 单边阴角				3m	Matte black	0.2KG	100PCS
					Rose gold		
804 方阳角				3m	Matte black	0.32KG	100PCS
					Rose gold		
YB854 方形 凹口阳角				3m	Matte black	0.27KG	100PCS
					Rose gold		
YB861 窄边 尖阳角				3m	Matte black	0.288KG	100PCS
					Rose gold		
G8940 腰线				3m	Matte black	0.653KG	40PCS
					Rose gold		

8mm

Wall Panel Light Strip Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	Color	Weight (KG/Piece)	Packing (PCS/CTN)
803 灯带工字				3m	Matte black	0.32KG	100PCS
					Rose gold		
806 灯带踢脚				3m	Matte black	0.525KG	40PCS
					Rose gold		
813 灯带收口				3m	Matte black	0.3KG	100PCS
					Rose gold		
L-60B 9厘 灯带顶线				3m	Matte black	0.6KG	30PCS
					Rose gold		

Other Wall Panel Aluminum Alloy Fitting

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	Color	Weight (KG/Piece)	Packing (PCS/CTN)
H-10T				2.8m	Matte black	0.08KG	400PCS
					Rose gold		
20 平条				2.8m	Matte black	0.14KG	200PCS
					Rose gold		
L-10*10 直角				2.8m	Matte black	0.098KG	400PCS
					Rose gold		
L-15*15 直角				2.8m	Matte black	0.12KG	200PCS
					Rose gold		